

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	56	ingress adj packet with filter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:39
L8	0	7 and @ad< "20000831"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:39
L9	81	ingress adj packet same filter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:40
L10	1	9 and @ad< "20000831"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:40
L11	81	BAUM near ROBERT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:40
L12	17	L11 and layer adj (two "2") with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:40
L13	2159	726/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L14	1	L13 and @ad< "20000831" and @pd> "20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L15	837	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L16	0	L15 and @ad< "20000831" and @pd> "20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L17	3692	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41

L18	0	L17 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L19	93	705/73.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L20	0	L19 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L21	17626	("layer 2" "data link") same frame header with address with (chag\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L22	314	L21 same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L23	0	L22 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L24	4	("layer 2" "data link") same frame same header with address with (chag\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L25	0	L24 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L26	8	("layer 2" "data link") same frame same header with address same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L27	0	L26 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L28	68	("layer 2" "data link") and frame same header with address same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L29	0	L28 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41
L30	431	("layer 2" "data link") and frame same address same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:41
L31	0	L30 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:41

L32	20	("layer 2" "data link") and frame same header with (modif\$6 chang\$4 replac \$4) with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L33	0	L32 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L34	51	("layer 2" "data link") with authenticat\$4 same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L35	0	L34 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L36	155	("layer 2" "data link") same authenticat\$4 same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L37	0	L36 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L38	29	frame same header with (modif\$6 chang\$4 replac \$4) with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L39	0	L38 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L40	33	frame same header with (modif\$6 chang\$4 replac \$4) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L41	0	L40 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L42	340	frame same header with (modif\$6 chang\$4 replac \$4) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L43	0	L42 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L44	2131	authenticat\$4 with mac adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L45	0	L44 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42

L46	118	authentikat\$4 with mac adj address same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L47	0	L46 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L48	101	authentikat\$4 with source adj address same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L49	0	L48 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L50	550	authentikat\$4 with source adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L51	0	L50 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L52	378	MAC adj address same layer adj ("2" two) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L53	41	L52 and @ad<"20000831"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L54	0	L53 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L55	446	MAC adj address with spoo\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L56	0	L55 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L57	86	MAC adj address same layer adj ("2" two) with header and (modify\$4 chang\$4 alter\$4 spoof\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L58	0	L57 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L59	202	("layer 2" "layer two" "data link") same header same VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42

L60	0	L59 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L61	63	("layer 2" "layer two" "L2") with MAC adj address same VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:42
L62	0	L61 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:42
L63	14	VPN same OUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:43
L64	0	L63 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L65	61	OUI same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:43
L66	0	L65 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L67	455	Organization\$6 adj Unique adj Identifier	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L68	0	L67 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L69	66	((Organization\$6 adj Unique adj Identifier) OUI) same authenticat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/28 07:43
L70	0	L69 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L71	67	((Organization\$6 adj Unique adj Identifier) OUI) with replac\$4	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/28 07:43
L72	0	L71 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L73	9956	(replac\$4 modify\$4 chang \$4 alter\$4 spoof\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:43
L74	610	L73 same ("data link" "layer 2" "layer two" "L2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:43
L75	0	L74 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43

L76	9105	(authenticat\$4 compar\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:43
L77	284	L76 same ("data link" "layer 2" "layer two" "L2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:43
L78	0	L77 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L79	561	(replac\$4 modify\$4 chang\$4 alter\$4 spoof\$4) with (source destination mac) adj address with (authenticat\$4 unique)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 07:43
L80	0	L79 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L81	71	unique near2 string with transaction	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L82	0	L81 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L83	165	unique with transaction with (string ID identifier) same transaction adj type	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L84	0	L83 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L85	220	unique with (string ID identifier) same transaction adj type	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43
L86	1	L85 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/10/28 07:43

EAST Search History (Interference)

< This search history is empty>

10/ 28/ 10 7:45:49 AM

C:\Documents and Settings\mpyzocha1\My Documents\EAST\Workspaces\09910429-a1.wsp